TRAIL, CLASSIC, SNOW

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48

Казань (843)206-01-48 Россия +7(495)268-04-70

Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81 Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73

Киргизия +996(312)-96-26-47

Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Саранск (8342)22-96-24 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35

Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35 Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

fpo@nt-rt.ru || https://filmop.nt-rt.ru/



Automatic air hand dryer TRAIL LINE stainless steel



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MA010A0	power 2000 W, class II	3,475	22x28x21	1	0,028	4,06

Installation cable not included

APPLICATIONS

Working with sensor. It blows warm air for needed time by positioning hands under the nozzle.

ECO BOX 📎



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Electrical protection level: II
- Main frequency: 50 Hz Motor absorption: 200W
- Heating element absorption: 1800 W; 230 V 50 Hz
- Air speed: 121 km/h
- Air volume: 300 m³/h
- Sound pressure: 77,5 dB
- Air temperature: 54,1 °C (from a distance of 10 cm)
- Drying time: 20-25 seconds

MATERIAL

Covering material: stainless steel Internal material: polycarbonate and ABS Nozzle: chromed ABS



GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY



Automatic air hand dryers **CLASSIC LINE** white laquered



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓↓↓	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MA010V0	power 2000 W, class II	4,5	22x28x21	1	0,025	4,9

Installation cable not included

APPLICATIONS

Working with sensor. It blows warm air for needed time by positioning hands under the nozzle.

ECO BOX 📎



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Electrical protection level: II
- Main frequency: 50 Hz Motor absorption: 200W
- Heating element absorption: 1800 W; 230 V 50 Hz
- Air speed: 121 km/h
- Air volume: 300 m³/h
- Sound pressure: 77,5 dB
- Air temperature: 54,1 °C (from a distance of 10 cm)
- Drying time: 20-25 seconds

MATERIAL

White lacquered coverage Internal material: polycarbonate Nozzle: chromed ABS



GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY



Automatic air hand dryer TRAIL LINE stainless steel



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MA100A0	power 2000 W, class I	3,7	14x23x31	1	0,028	4,1

Installation cable not included

APPLICATIONS

Working with sensor. It blows warm air for needed time by positioning hands under the nozzle.

ECO BOX 📎



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Electrical protectionI level: I
- Main frequency: 50 Hz Motor absorption: 130 W
- Heating element absorption: 1800 W; 230 V 50 Hz
- Air speed: 68 km/h
- Air volume: 250 m³/h
- Sound pressure: 58 dB
- Air temperature: 55 °C (from a distance of 10 cm)
- Drying time: 25-30 seconds

MATERIAL

Covering material: stainless steel Internal material: polycarbonate



GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY





Automatic air hand dryer SNOW LINE white plastic (ABS)

REF.	NOTES	NET WEIGHT (kg)	SIZE (cm)	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MA100P0	power 2000 W, class II	3,015	14x23x31	1	0,027	3,6

Installation cable not included

APPLICATIONS

Working with sensor. It blows warm air for needed time by positioning hands under the nozzle.

ECO BOX 📎



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Electrical protection level: II
- Main frequency: 50 Hz Motor absorption: 130 W
- Heating element absorption: 1800 W; 230 V 50 Hz
- Air speed: 68 km/h
- Air volume: 250 m³/h
- Sound pressure: 58 dB
- Air temperature: 55 °C (from a distance of 10 cm)
- Drying time: 25-30 seconds

MATERIAL

Polycarbonate and ABS

GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY









SNOW LINE automatic high-pressure hand dryer made of white plastic (ABS)

REF.	NOTES	NET WEIGHT (kg)	SIZE (cm)	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MA200P0	Overall power: 1400 w	3,195	17x26,5x33	1	0,028	4

Installation cable not included

APPLICATIONS

Automatic air hand dryers

ECO BOX 🎾



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Optical sensor for automatic start and stop
- · Linear nozzle, integrated in the lower part
- Built-in dust filter
- Can be installed 0.6 meters from the sink
- Drying time: 10-12 seconds
- Airflow speed: 400 km/h
- Air temperature: 40°C (at a distance of 10 cm)
- Air volume: 220 m³/h
- Sound pressure: 75 dB
- Electrical Insulation Class: II, grounding wire not required
- Motor: 1400 W; 220-240 V 50-60 Hz
- Drying time: 10-12 seconds

MATERIAL

ABS and polycarbonate

CARE AND MAINTENANCE

We recommend replacing the HEPA filter every 6 months



GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY





Health and environment: Fulfillment of obligations under the European REACH regulation



PRODUCT SHEET



SNOW LINE ERGONOMIC automatic high-pressure hand dryer made of white plastic (ABS)

REF.	NOTES	NET WEIGHT (kg)	SIZE (cm)	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MA500P0	power 1550 W, class II	7,215	18x32x54	1	0,062	8,49

Installation cable not included

APPLICATIONS

Automatic air hand dryer: a warm air flow is generated by inserting your hands in the hand dryer.

ECO BOX 📎



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Produced with high-quality materials, using antibacterial additives
- HEPA H14 filter that can trap 99.99% of bacteria in the air
- · LED panel showing the duration of the drying cycle and any operating and maintenance information
- Equipped with an ambient temperature detection system: by exceeding 25°C air warming is cut out
- Thanks to an automatic system the water falling during the drying process becomes steam and This allows to sterilize the tank
- Electrical protection level: II
- Motor: universal type 1000 W; 220-240 V 50-60 Hz
- Air speed: 540 km/h
- Air volume: 220 m³/h
- Sound pressure: 65.6 dB
- Air temperature: 40 °C
- Drying time: 10-12 seconds

MATERIAL

ABS with antibacterial additive, polycarbonate, PBT V0



GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY



Air hand dryers with button TRAIL LINE stainless steel



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓↓↓↓	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MP010A0	power 2000 W, class II	3,475	22x28x21	1	0,028	4,06

Installation cable not included

APPLICATIONS

Working with push button. By pushing the button, it blows warm air for pre-set time of 50 seconds.

ECO BOX 📎



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Electrical protection level: II
- Main frequency: 50 Hz Motor absorption: 200W
- Airflow at nozzle outlet:260 mc/h
- Heating element absorption: 1800 W; 230 V 50 Hz
- Drying time: 20-25 seconds

MATERIAL

Covering material: stainless steel Internal material: polycarbonate Button and nozzle: chromed ABS

GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY



Air hand dryers with button TRAIL LINE white lacquered



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
AU5MP010V0	power 2000 W, class II	4,325	22x28x21	1	0,025	4,93

Installation cable not included

APPLICATIONS

Working with push button. By pushing the button, it blows warm air for pre-set time of 50 seconds.

ECO BOX 📎



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Electrical protection level: II
- Main frequency: 50 Hz Motor absorption: 200W
- Heating element absorption: 1800 W; 230 V 50 Hz
- Air speed: 121 km/h
- Air volume: 300 m³/h
- Sound pressure: 77,5 dB
- Air temperature: 54,1 °C (from a distance of 10 cm)
- Drying time: 20-25 seconds

MATERIAL

Covering material: stainless steel Internal material: polycarbonate and ABS Button and nozzle: chromed ABS



GENERAL PRODUCT SAFETY

The electrical items we sell comply with the Electromagnetic Compatibility Directive 89/336/EEC and all bear the CE mark

DECLARATION OF CONFORMITY

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48

Россия +7(495)268-04-70

Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81 Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73

Киргизия +996(312)-96-26-47

Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Саранск (8342)22-96-24 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35

Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35 Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

fpo@nt-rt.ru || https://filmop.nt-rt.ru/