

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Калининград (4012)72-03-81	Омск (3812)21-46-40	Сыктывкар (8212)25-95-17
Ангарск (3955)60-70-56	Калуга (4842)92-23-67	Орел (4862)44-53-42	Тамбов (4752)50-40-97
Архангельск (8182)63-90-72	Кемерово (3842)65-04-62	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Киров (8332)68-02-04	Пенза (8412)22-31-16	Тольятти (8482)63-91-07
Барнаул (3852)73-04-60	Коломна (4966)23-41-49	Петрозаводск (8142)55-98-37	Томск (3822)98-41-53
Белгород (4722)40-23-64	Кострома (4942)77-07-48	Псков (8112)59-10-37	Тула (4872)33-79-87
Благовещенск (4162)22-76-07	Краснодар (861)203-40-90	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Красноярск (391)204-63-61	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Курск (4712)77-13-04	Рязань (4912)46-61-64	Улан-Удэ (3012)59-97-51
Владикавказ (8672)28-90-48	Курган (3522)50-90-47	Самара (846)206-03-16	Уфа (347)229-48-12
Владимир (4922)49-43-18	Липецк (4742)52-20-81	Саранск (8342)22-96-24	Хабаровск (4212)92-98-04
Волгоград (844)278-03-48	Магнитогорск (3519)55-03-13	Санкт-Петербург (812)309-46-40	Чебоксары (8352)28-53-07
Вологда (8172)26-41-59	Москва (495)268-04-70	Саратов (845)249-38-78	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Мурманск (8152)59-64-93	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Набережные Челны (8552)20-53-41	Симферополь (3652)67-13-56	Чита (3022)38-34-83
Иваново (4932)77-34-06	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54	Якутск (4112)23-90-97
Ижевск (3412)26-03-58	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31	Ярославль (4852)69-52-93
Иркутск (395)279-98-46	Ноябрьск (3496)41-32-12	Ставрополь (8652)20-65-13	
Казань (843)206-01-48	Новосибирск (383)227-86-73	Сургут (3462)77-98-35	
Россия +7(495)268-04-70	Киргизия +996(312)-96-26-47	Казахстан +7(7172)727-132	

PRODUCT SHEET

Polyester short yarn window washer with fixed plastic support with Italian thread



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9602		0,152	35	12	0,033	2,29
9603		0,19	45	12	0,041	2,82

Compatible with Uni-Connect system

APPLICATIONS

Tool used for professional window cleaning; it replaces the traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The window washer grants a big absorbance and has short yarn in order to avoid the loss during the washing cycle
- The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Can be used with handles with thread, poles with Uni-Connect \varnothing 21 mm cone and telescopic handles with Uni-Connect \varnothing 23 mm cone

MATERIAL

Support: polypropylene
Yarn: polyester

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution
We suggest to use the specific net bags for the mop washing

PRODUCT SHEET

WASHING INSTRUCTIONS WINDOW WASHER REPLACEMENT



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Acrylic long yarn window washer with fixed plastic support with Italian thread



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9702		0,152	35	12	0,033	2,29
9703		0,162	45	12	0,041	2,48

Compatible with Uni-Connect system

APPLICATIONS

Tool used for professional window cleaning; it replaces the traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The window washer grants a cleaning action with high efficacy and has short yarn in order to increase its absorbance and its surface covering
- The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Can be used with handles with thread, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone

MATERIAL

Support: polypropylene

Yarn: 80% acrylic + 20% polyamide and polyester support

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

PRODUCT SHEET

WASHING INSTRUCTIONS WINDOW WASHER REPLACEMENT



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Polyester short yarn window washer with abrasive pad, with fixed plastic support with Italian thread



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9632		0,174	35	12	0,033	2,55
9633		0,19	45	12	0,041	2,82

Compatible with Uni-Connect system

APPLICATIONS

Tool used for professional window cleaning; it replaces the traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The window washer grants a big absorbance and has short yarn in order to avoid the loss during the washing cycle. The pad, sewn on one side, allows to remove the difficult dirt from the windows without scratching them
- The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Can be used with handles with thread, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone

MATERIAL

Support: polypropylene
Yarn: polyester

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

PRODUCT SHEET

WASHING INSTRUCTIONS WINDOW WASHER REPLACEMENT



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Acrylic long yarn window washer with abrasive fiber, with fixed plastic support with Italian thread



REF.	NOTES	SIZE (cm) ↓ ↓ ↓	PCK	GROSS WEIGHT (kg)
9732		35	10	0
9733		45	10	0

Compatible with Uni-Connect system

APPLICATIONS

Tool used for professional window cleaning; it replaces the traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The window washer grants a big absorbance and has short yarn in order to avoid the loss during the washing cycle. The pad, sewn on one side, allows to remove the difficult dirt from the windows without scratching them
- The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Can be used with handles with thread, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone

MATERIAL

Support: polypropylene

Yarn: 80% acrylic + 20% polyamide - abrasive pad and polyester support

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

PRODUCT SHEET

WASHING INSTRUCTIONS WINDOW WASHER REPLACEMENT



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Polypropylene fixed support for window washer with Italian thread



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9241		0,088	25	10	0,014	1,16
9242		0,102	35	10	0,011	1,21
9243		0,12	45	10	0,015	1,39

Compatible with Uni-Connect system

APPLICATIONS

Window washer component.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of material that is fully recyclable at end-of-life
 Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of high quality polypropylene copolymer: light, shock-proof, heavy duty and low-temperature resistant
- The support has splits which receive the cleaning solution when plunged and it comes out during the working phase, granted a longer impregnation
- The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Can be used with handles with thread, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone

MATERIAL

Polypropylene



PRODUCT SHEET

RELATED PRODUCTS



Polyester short yarn window washer replacement



Acrylic long yarn window washer replacement



Polyester short yarn window washer replacement with abrasive pad



Acrylic long yarn window washer replacement with abrasive pad



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



End cone with Italian thread for telescopic handles and poles with Uni-Connect system

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Polyester short yarn window washer replacement



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9105		0,04	25	25	0,018	1,32
9106		0,05	35	10	0,011	0,69
9107		0,06	45	10	0,015	0,79

APPLICATIONS

Used with its holder for professional glass washing instead of traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Very short yarn to avoid linting during washing
- Ensures high absorbency
- Made in Italy

MATERIAL

Polyester

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing



PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Polypropylene fixed support for window washer with Italian thread



Aluminium jointed support for window washer

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Acrylic long yarn window washer replacement



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9505		0,04	25	25	0,018	1,32
9506		0,05	35	25	0,024	1,63
9507		0,06	45	25	0,03	1,94

APPLICATIONS

Used with its holder for professional glass washing instead of traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Long yarn grants higher absorbency and wider surface covering
- Provides highly effective cleaning action
- Made in Italy

MATERIAL

Yarn: 80% acrylic + 20% polyamide

Support: polyester

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Polypropylene fixed support for window washer with Italian thread



Aluminium jointed support for window washer

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Polyester short yarn window washer replacement with abrasive pad



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9135		0,05	25	25	0,018	1,57
9136		0,06	35	25	0,024	1,88
9137		0,07	45	25	0,03	2,19

APPLICATIONS

Used with its holder for professional glass washing instead of traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The pad, sewn on one side, removes the difficult dirt from the windows without scratching them
- Very short yarn to avoid linting during washing
- Ensures high absorbency
- Made in Italy

MATERIAL

Polyester

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing



PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Polypropylene fixed support for window washer with Italian thread



Aluminium jointed support for window washer

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Acrylic long yarn window washer replacement with abrasive pad



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9535		0,05	25	25	0,018	1,57
9536		0,06	35	25	0,024	1,88
9537		0,07	45	25	0,03	2,19

APPLICATIONS

Used with its holder for professional glass washing instead of traditional sponges.

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Long yarn for a higher absorbency and a wider surface covering, with abrasive pad, sewn on one side, to allow to remove the difficult dirt from the windows without scratching them
- Provides highly effective cleaning action
- Made in Italy

MATERIAL

Yarn: 80% acrylic + 20% polyamide

Abrasive fibre: polyester

Support: polyester

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing



PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 40° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Polypropylene fixed support for window washer with Italian thread



Aluminium jointed support for window washer

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

GLOSS-W SUPERIOR - Stainless steel blue window squeegee



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9451A		0,128	25	10	0,004	1,28
9452A		0,226	35	10	0,004	2,26
9453A		0,25	45	10	0,005	2,5
9454A		0,288	55	10	0,005	2,88

Compatible with Uni-Connect system

APPLICATIONS

Ideal for dry glass.
Used with "S" movement from top to the bottom.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely stainless
- Ergonomic handle with nonslip rubber for a firm and secure grip
- Hard rubber that allows the surface to be perfectly cleaned with a single wipe, ensuring great time savings. Made of closed-cell rubber to prevent dirt and bacteria from getting in. Can be easily replaced in case of wear and tear
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Using the cone for Uni-Connect system, the tool connects securely to telescopic handles and poles, allowing you to work overhead without the aid of ladders and safely

MATERIAL


Stainless steel, natural and silicone rubber

PRODUCT SHEET


RELATED PRODUCTS




End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

PRODUCT VERSIONS



GLOSS-W SUPERIOR - Stainless steel window squeegee

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

GLOSS-W SUPERIOR - Stainless steel window squeegee



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9451		0,196	25	10	0,004	1,96
9452		0,226	35	10	0,004	2,26
9453		0,252	45	10	0,005	2,52
9454		0,282	55	10	0,005	2,82

Compatible with Uni-Connect system

APPLICATIONS

Ideal for dry glass.
Used with "S" movement from top to the bottom.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely stainless
- Ergonomic handle with nonslip rubber for a firm and secure grip
- Hard rubber that allows the surface to be perfectly cleaned with a single wipe, ensuring great time savings. Made of closed-cell rubber to prevent dirt and bacteria from getting in. Can be easily replaced in case of wear and tear
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Using the cone for Uni-Connect system, the tool connects securely to telescopic handles and poles, allowing you to work overhead without the aid of ladders and safely

MATERIAL

Stainless steel and rubber

PRODUCT SHEET


RELATED PRODUCTS




End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

PRODUCT VERSIONS



GLOSS-W SUPERIOR - Stainless steel blue window squeegee

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Stainless steel grip for window squeegee Gloss-W Superior



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9661		0,13	10	0,005	1,3

Compatible with Uni-Connect system

APPLICATIONS

Handle with double functions: as spare parts for the window squeegee and as grip for the use of clip scraper.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Ergonomic handle with nonslip rubber for a firm and secure grip
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Using the cone for Uni-Connect system, the tool connects securely to telescopic handles and poles, allowing you to work overhead without the aid of ladders and safely

MATERIAL

Stainless steel and rubber

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum pole complete with cone with Italian thread for Uni-Connect system



PRODUCT SHEET



Aluminum telescopic pole complete with
end cone with Italian thread for Uni-Connect
system – 2 pieces



Aluminum telescopic pole complete with
end cone with Italian thread for Uni-Connect
system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Stainless steel channel with rubber blade for window squeegee



REF.	NOTES	SIZE (cm) ↓ ↓ ↓	PCK	GROSS WEIGHT (kg)
9363		25	25	0
9364		35	25	0
9365		45	25	0
9366		55	25	0

APPLICATIONS

Spare part of the window squeegee.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The rubber blade is replaceable
- Produced with closed cell rubber to prevent dirt and bacteria from getting in

MATERIAL

Stainless steel and rubber

RELATED PRODUCTS



Stainless steel grip for Gloss-W window squeegee



PRODUCT SHEET

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Rubber blade for window squeegee



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9271		0,062	92	10	0,001	0,65
9272		0,049	71	10	0,001	0,49
9376		0,033	55	10	0,002	0,33
9375		0,027	45	10	0,002	0,27
9374		0,02	35	10	0,002	0,2
9373		0,014	25	10	0,001	0,14

APPLICATIONS

Spare parts for the window squeegee rubber blade.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of closed-cell rubber to prevent dirt and bacteria from getting in

MATERIAL

Natural rubber

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Blue rubber blade for window squeegee



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9271A		0,062	92	10	0,001	0,65
9272A		0,049	71	10	0,001	0,49

APPLICATIONS

Spare parts for the window squeegee rubber blade.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of material that is fully recyclable at end-of-life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of closed-cell rubber to prevent dirt and bacteria from getting in

MATERIAL

Natural rubber

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Jointed window squeegee support



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9351		0,11	25	10	0,006	1,32
9352		0,18	35	10	0,033	2,26
9353		0,21	45	10	0,006	2,32
9354		0,27	55	10	0,006	2,92

APPLICATIONS

Used for the professional window drying.
Used with "S" movement from the top to the bottom.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely stainless
- Hard rubber that allows the surface to be perfectly cleaned with a single wipe, ensuring great time savings. Made of closed-cell rubber to prevent dirt and bacteria from getting in. Can be easily replaced in case of wear and tear
- Thanks to the handgrip fitting to the telescopic poles, the operator can work without ladders

MATERIAL

Nylon, stainless steel and rubber

PRODUCT VERSIONS



GLOSS-W - Stainless steel window squeegee



PRODUCT SHEET

GENERAL PRODUCT SAFETY

The items we market do not require product certification, as they correspond to the definition given in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All items we market comply with current safety laws and are covered by a "product liability" insurance policy

PRODUCT SHEET

Jointed grip for window squeegee



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9461		0,08	10	0,006	1,02

APPLICATIONS

Spare part of the window squeegee.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of material that is fully recyclable at end-of-life

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- It is equipped with a plastic button to fix the stainless steel support with the rubber blade
- Hole that allows its use with the telescopic poles with end cone, with the possibility to work without the use of ladders

MATERIAL

Nylon

RELATED PRODUCTS

 Stainless steel channel with rubber blade for window squeegee

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Aluminum pole complete with cone with Italian thread for Uni-Connect system



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	GROSS WEIGHT (kg)
00059880A	1 pc x 1,25 m	0,29	125	5	1,45
0005AS28150A	1 pc x 1,5 m	0,336	150	5	1,68

APPLICATIONS

It can be used for the large window cleaning, ceilings and vertical walls difficult to reach in height. The operator can reach heights without the use of stairs.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely in aluminium, it is light and stainless steel
- Easy to handle thanks to the rubber grip
- Cone designed to attach securely to tools, keeping them in place during cleaning operations and preventing dangerous unhooking
- The Uni-Connect system allows you to quickly and easily attach the same handle to any cleaning equipment, quickly switching from one tool to another (frame, squeegee, duster...)

MATERIAL

Anodized aluminium, Polypropylene copolymer, polyamide and acetalic resin



PRODUCT SHEET

RELATED PRODUCTS



Cranked joint for telescopic pole



End cone with Italian screw for telescopic pole



Hook for telescopic pole

PRODUCT VERSIONS



Aluminum pole complete with cone with
Italian thread

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
00059879A	2 pcs x 0,60 m	0,352	120	5	-	1,76
00059881A	2 pcs x 1,25 m	0,612	250	5	0,021	3,77
00059878A	2 pcs x 1,50 m	0,69	300	5	0,024	4,29
00059882A	2 pcs x 2,00 m	0,85	400	5	0,031	5,31
00059883A	2 pcs x 3,00 m	1,23	600	5	0,035	7,65

APPLICATIONS

It can be used for the large window cleaning, ceilings and vertical walls difficult to reach in height. The operator can reach heights without the use of stairs.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely in aluminium, it is light and stainless steel
- Easy to handle thanks to the rubber grip
- It can be blocked at the desired height thanks to its plastic screw
- Cone designed to attach securely to tools, keeping them in place during cleaning operations and preventing dangerous unhooking
- The Uni-Connect system allows you to quickly and easily attach the same handle to any cleaning equipment, quickly switching from one tool to another (frame, squeegee, duster...)

MATERIAL

Anodized aluminium, Polypropylene copolymer, polyamide and acetalic resin



PRODUCT SHEET

RELATED PRODUCTS



Cranked joint for telescopic pole




End cone with Italian screw for telescopic pole



Hook for telescopic pole

PRODUCT VERSIONS



Aluminum telescopic pole complete with end cone with Italian thread – 2 pieces


GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
00059886A	3 pcs x 1,00 m	0,822	300	5	0,019	4,8
00059887A	3 pcs x 1,50 m	1,14	450	5	0,024	6,54
00059884A	3 pcs x 2,00 m	1,442	600	5	0,031	8,27
00059885A	3 pcs x 3,00 m	2,124	900	5	0,035	12,12
00059890A	2 pcs x 4,00 m + 1 pc x 3,00 m	2,524	1100	5	0,058	13,12

APPLICATIONS

It can be used for the large window cleaning, ceilings and vertical walls difficult to reach in height. The operator can reach heights without the use of stairs.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely in aluminium, it is light and stainless steel
- Easy to handle thanks to the rubber grip
- It can be blocked at the desired height thanks to its plastic screw
- Cone designed to attach securely to tools, keeping them in place during cleaning operations and preventing dangerous unhooking
- The Uni-Connect system allows you to quickly and easily attach the same handle to any cleaning equipment, quickly switching from one tool to another (frame, squeegee, duster...)

MATERIAL

Anodized aluminium, Polypropylene copolymer, polyamide and acetalic resin



PRODUCT SHEET

RELATED PRODUCTS



Cranked joint for telescopic pole



End cone with Italian screw for telescopic pole



Hook for telescopic pole

PRODUCT VERSIONS



Aluminum telescopic pole complete with end cone with Italian thread – 3 pieces

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Aluminum pole complete with cone with Italian thread



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9080A	1 pc x 1,25 m	0,266	125	10	0,019	3,35
0000AS21150A	1 pc x 1,5 m	0,312	150	10	0,024	3,96

APPLICATIONS

It can be used for the large window cleaning, ceilings and vertical walls difficult to reach in height. The operator can reach heights without the use of stairs.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely in aluminium, it is light and stainless steel
- Easy to handle thanks to the rubber grip
- Equipped with end cone with screw fitting all the tools for the cleaning of windows and ceilings

MATERIAL

Anodized aluminium and Polypropylene copolymer

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Cranked joint for telescopic pole



Hook for telescopic pole

PRODUCT SHEET

PRODUCT VERSIONS



Aluminum pole complete with cone with
Italian thread for Uni-Connect system

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Aluminum telescopic pole complete with end cone with Italian thread – 2 pieces

REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9079A	2 pcs x 0,60 m	0,328	120	25	0,031	8,69
9081A	2 pcs x 1,25 m	0,588	250	10	0,033	6,67
9078A	2 pcs x 1,50 m	0,666	300	10	0,041	7,63
9082A	2 pcs x 2,00 m	0,826	400	10	0,053	9,49
9083A	2 pcs x 3,00 m	1,206	600	10	0,065	13,81
00059081A	2 pcs x 1,25 m	0,62	250	5	0,019	3,79
00059078A	2 pcs x 1,50 m	0,68	300	5	0,024	4,24
00059082A	2 pcs x 2,00 m	0,85	400	5	0,031	5,31
00059083A	2 pcs x 3,00 m	1,206	600	5	0,035	7,53

APPLICATIONS

It can be used for the large window cleaning, ceilings and vertical walls difficult to reach in height. The operator can reach heights without the use of stairs.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely made of light and stainless aluminium
- Easy to handle thanks to the rubber grip
- It can be blocked at the desired height thanks to its plastic screw
- Equipped with end cone with screw fitting all the tools for the cleaning of windows and ceilings
- Completely in aluminium, it is light and stainless steel

MATERIAL

Anodized aluminium and Polypropylene copolymer

PRODUCT SHEET

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Cranked joint for telescopic pole



Hook for telescopic pole

PRODUCT VERSIONS



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Aluminum telescopic pole complete with end cone with Italian thread – 3 pieces

REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9086A	3 pcs x 1,00 m	0,798	300	10	0,03	8,69
9087A	3 pcs x 1,50 m	1,116	450	10	0,041	12,13
9084A	3 pcs x 2,00 m	1,418	600	10	0,053	15,41
9085A	3 pcs x 3,00 m	2,1	900	10	0,065	22,75
9090A	2 pcs x 4 m + 1 pc x 3 m	2,5	1100	5	0,058	13
00059086A	3 pcs x 1.00 m	0,798	300	5	0,019	4,68
00059087A	3 pcs x 1,50 m	1,116	450	5	0,024	6,42
00059084A	3 pcs x 2,00 m	1,418	600	5	0,031	8,15
00059085A	3 pcs x 3,00 m	2,1	900	5	0,035	12

APPLICATIONS

It can be used for the large window cleaning, ceilings and vertical walls difficult to reach in height. The operator can reach heights without the use of stairs.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Completely made of light and stainless aluminium
- Easy to handle thanks to the rubber grip
- It can be blocked at the desired height thanks to its plastic screw
- Equipped with end cone with screw fitting all the tools for the cleaning of windows and ceilings

MATERIAL

Anodized aluminium and Polypropylene copolymer



PRODUCT SHEET

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Cranked joint for telescopic pole



Hook for telescopic pole

PRODUCT VERSIONS



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Grey laquered wooden and metal display stand for handles and telescopic poles



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
P06000		4,62	45x45x41	1	0,01	5,03

APPLICATIONS

Item used to show clening equipment equipped with handle.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- It has 16 holes Ø 40 mm

MATERIAL

Chromed metal and MDF panels

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Mop holder with strips for strap tape system with Lock System

REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
5388U		0,212	30x8	10	0,016	2,34
5389U		0,276	40x8	10	0,019	3,1

APPLICATIONS

Cleaning tool used to wash vertical surfaces (inside glasses, mirrors, stainless steel surfaces, lacquered doors, painted doors) with Brilliant system.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
 Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of high quality polypropylene copolymer: light, shock-proof, heavy duty and low-temperature resistant
- Lock System allows to block the side movements of the mop holder and it guarantees the maximum adherence to vertical surfaces for better cleaning results. This system can be switched on and off by simply pushing up or down its small lever (locking device) with one's foot, without the use of one's hands and without bending any more
- Slim design created for the Brilliant system with the specific ultra-microfiber mop head 30 cm art. 0000PN02016
- Universal screw that allows the use of any kind of handles with diameter from 20 to 24 mm
- Easy replaceable ABS strips for strap tape system 2,5 cm large that guarantee the utmost adherence of the mop holder to the mop for a perfect cleaning of the surfaces
- Its articulated joint allows a 360° performance

MATERIAL

Polypropylene copolymer, polyamide and polyethylene

WARNINGS

It is not autoclavable
 Do not treat with pure denatured alcohol

PRODUCT SHEET

RELATED PRODUCTS



Ultra-microfiber mop head with backing for
strap tape system

PRODUCT VERSIONS



Mop holder with strips for strap tape system
with Uni-Connect joint and end cone and Lock
System

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005


DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Mop holder with strips for strap tape system with Uni-Connect joint and end cone and Lock System



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000TP1817U		0,247	30x8	10	0,019	2,81

APPLICATIONS

Clenaing tool used to wash vertical surfaces (inside glasses, mirrors, stainless steel surfaces, lacquered doors, painted doors) with Brilliant system.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of high quality polypropylene copolymer: light, shock-proof, heavy duty and low-temperature resistant
- Slim design created for the Brilliant system with the specific ultra-microfiber mop head 30 cm art. 0000PN02016
- Uni-Connect system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Lock System allows to block the side movements of the mop holder and it guarantees the maximum adherence to vertical surfaces for better cleaning results. This system can be switched on and off by simply pushing up or down its small lever (locking device) with one's foot, without the use of one's hands and without bending any more
- Jointed articulation for full 360° rotation allowing easy access even to hard-to-reach areas
- Easy replaceable ABS strips for strap tape system 2,5 cm large that guarantee the utmost adherence of the mop holder to the mop for a perfect cleaning of the surfaces
- Can be used with any 23 mm diameter handle with hole

MATERIAL

Polypropylene, polyamide, polyethylene and acetal resin

WARNINGS

It is not autoclavable

Do not treat with pure denatured alcohol



PRODUCT SHEET

RELATED PRODUCTS



MICRO-ACTIVA - ultra-microfiber mop, polyester backing, with strap tape system and colour-coded tag

PRODUCT VERSIONS



Mop holder with strips for strap tape system with Lock System

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



Kit **BRILLIANT**

REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000SM00619		0,356	10	0,028	3,99
0000PN02016	Ultra-microfiber cloths with backing for strap tape system, 30 cm				5 pcs
5233U	TOP-CLEAN - plastic mop holder with grip and strips 2,5 cm for strap tape system				1 pc.

Standard cleaning kit for easily accessible shiny surfaces

APPLICATIONS

It is ideal for the cleaning of interior windows, mirrors, stainless steel, lacquered surfaces and painted doors

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The use of a flat mop holder guarantees a considerable working time reduction in comparison with traditional hand cleaning systems and a perfect adherence of the mop holder to the surface
- The light and handy mop holder and the ultra-microfiber mop combined with a specific alcoholic-based detergent for surfaces, guarantee shining surfaces with just one wipe
- Thanks to its excellent features, the specific ultra-microfiber mop removes fingerprints, smears, dust particles and dirt with excellent cleaning results

MATERIAL

Mop holder with hand grip: polyamide

Mop: Microfiber (58% polyester - 42% polyamide) + backing: nylon

PRODUCT VERSIONS



Kit **BRILLIANT PLUS**



PRODUCT SHEET

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Kit **BRILLIANT PLUS**



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000SM00621		0,768	1	0,005	0,94
0000AM3090A	Telescopic anodized aluminium handle 2 pcs with grey ergonomic grip, extension from 56 till 93 cm and blue cap				1 pc.
0000PN02016	Ultra-microfiber cloths with backing for strap tape system, 30 cm				2 pcs
0000TP1817U	Mop holder with strips for strap tape system with Uni-Connect joint and end cone, 30x8 cm				1 pc.
000EPN02012	MICRO-ACTIVA - ultra-microfiber mop with strap tape system, with colour-coded tag, 30 cm				1 pc.
5233U	TOP-CLEAN - plastic mop holder with grip and strips 2,5 cm for strap tape system				1 pc.

Complete kit for the cleaning of shiny surfaces, easily reachable

APPLICATIONS

Ideal for interior glass, mirrors, laminate surfaces, stainless steel, lacquered doors and painted doors

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- A handy and ergonomic cleaning system both with mop holder with hand grip and with mop holder combined with telescopic handle to safely reach also the highest areas
- The light and handy mop holders and the ultra-microfiber mops combined with a specific alcoholic-based detergent for surfaces, guarantee shining surfaces with just one wipe
- Thanks to their excellent features, the specific ultra-microfiber mops remove fingerprints, smears, dust particles and dirt with excellent cleaning results
- Micro-activa mop, ideal for tables, tiles, etc. and ultra-microfiber mop, ideal for stainless steel, mirrors and glass

MATERIAL

Mop holder with hand grip: polyamide

Mop holder with joint: polypropylene copolymer, polyamide and polyethylene

Ultra-microfiber mop: Microfiber (58% polyester - 42% polyamide) + backing for strap tape system: nylon

Micro-Activa mop: microfiber (85% polyester - 15% polyamide) + backing for strap tape system: polyester

Handle: aluminium, polypropylene copolymer, acetalic resin and nylon

PRODUCT SHEET

PRODUCT VERSIONS



Kit **BRILLIANT**

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Plastic carry basket complete with 3 dividers and grip



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓
3669U		0,478	32,5x25x31

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

PRODUCT VERSIONS



Plastic carry basket with 3 compartments and grip

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Plastic carry basket with special shaped bottle holder, 2 compartments and fixed grip



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓
3690U		0,522	33,5x28,3x27

APPLICATIONS

Multipurpose carry basket with several cleaning products and/or small cleaning tools at hand. Ideal for the transport of bottles.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of material that is fully recyclable at end-of-life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of high quality polypropylene copolymer: light, shock-proof, heavy duty and low-temperature resistant
- It is equipped with easily removable 3-hole bottle holder

MATERIAL

Polypropylene copolymer

RELATED PRODUCTS



Side plastic basket with 3 compartments fitting basket art. 3690U

PRODUCT SHEET

PRODUCT VERSIONS



Plastic carry basket with special shaped bottle holder, 2 compartments and grip

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Pocket scraper without blades



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9091		0,045	9,5x4,5	50	0,003	2,34

APPLICATIONS

It is used to remove difficult dirt of the windows.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

MATERIAL

Steel

RELATED PRODUCTS



Blades for pocket scraper

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

CLIP - scraper with 10 blades



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9216		0,073	10x2,4	25	0,004	1,95

To be used only with handgrips code 9661

APPLICATIONS

Scraper used to remove difficult dirt on windows.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Blades 0,2 mm thick
- Blades packed in a practical plastic case, that grants the highest safety and a simpler use
- It can be used with the handle for window squeegee for a better grip

MATERIAL

Cold rolled steel and plastic case

GENERAL PRODUCT SAFETY

The items we market do not require product certification, as they correspond to the definition given in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All items we market comply with current safety laws and are covered by a "product liability" insurance policy

PRODUCT SHEET

Window cleaning set



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9120		3,75	1	0,049	4,38
0000AS23050	Telescopic pole 3 pcs X 0,50 m				1 pc.
9088A	Cranked joint for telescopic pole				1 pc.
9102	Window washer with fixed plastic support 35 cm				1 pc.
9111	Sponge for Fixi clamp				1 pc.
9214	Cobweb brush with Italian thread				1 pc.
9216	CLIP - scraper with 10 blades				1 pc.
9271	Rubber blade for window squeegee 92 cm, Filmop line				1 pc.
9363	Stainless steel channel with rubber blade for window squeegee 25 cm, Filmop line				1 pc.
9364	Stainless steel channel with rubber blade for window squeegee 35 cm, Filmop line				1 pc.
9365	Stainless steel channel with rubber blade for window squeegee 45 cm, Filmop line				1 pc.
9661	Stainless steel grip for window squeegee, Filmop line				1 pc.
9851	Floor scraper with plastic grip				1 pc.
TCH101240	SILKY-T - green microfiber cloth, 30x40 cm				1 pc.

APPLICATIONS

Kit used for the window cleaning.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

MATERIAL

Case: honeycombed PVC sheet filling covered by a plastified resin cloth
For each single component, please, check the technical sheet of each item

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

[

Cobweb brush



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9214	with Italian screw	0,122	12	0,072	1,93
9314	with American screw	0,128	12	0,072	2

The version with Italian thread is compatible with Uni-Connect system

APPLICATIONS

It is suggested to remove webs from ceilings of every kind of environments.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Galvanized steel core twisted for a better strength
- Bristles made of plastic material which grant a longer life of the tool
- The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- The version with an Italian thread is compatible with Uni-Connect: a system that allows you to quickly and easily connect the same handle to any cleaning equipment, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Can be used with handles with thread, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone

MATERIAL

Grip: polypropylene copolymer

Bristles: 10 cm PET fibre

Wire: steel



PRODUCT SHEET


RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

PRODUCT VERSIONS



C-shaped cobweb brush

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

C-shaped cobweb brush



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9215	with Italian screw	0,131	12	0,035	1,91
9315	with American screw	0,137	12	0,035	1,98

The version with Italian thread is compatible with Uni-Connect system

APPLICATIONS

It is suggested to remove webs from ceilings of every kind of environments.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Galvanized steel core twisted for a better strength
- Bristles made of plastic material which grant a longer life of the tool
- The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- The version with an Italian thread is compatible with Uni-Connect: a system that allows you to quickly and easily connect the same handle to any cleaning equipment, quickly switching from one tool to another (mop holder, window squeegee, duster...)
- Can be used with handles with thread, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone

MATERIAL

Grip: polypropylene copolymer

Bristles: 5.5 cm PET fibre

Wire: steel

PRODUCT SHEET


RELATED PRODUCTS




End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

PRODUCT VERSIONS



Cobweb brush

GENERAL PRODUCT SAFETY



The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Shapable rubber mop holder with cloth fixing clips and grip with Italian thread for **SNAKE** hand duster



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
2440U		0,239	40	6	0,008	1,67
2640U		0,316	60	6	0,011	2,18

Suitable for use with **QUIK-STIK** disposable cloths
Compatible with **Uni-Connect** system

APPLICATIONS

It is suitable for any kind of surface and especially for the hard to reach spaces such as behind the radiators and on the wardrobes.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Innovative structure: the frame is mouldable and consequently adaptable to any straight or round surface
- Made of closed-cell rubber to prevent dirt and bacteria from getting in
- Extremely flexible: with push button for rapid inclination up to 270°
- Versatile: ideal both for dry dusting with acrylic spare parts and wet dusting with microfibre parts and disposable mops
- Equipped with a disc that allows disposable mops to be attached, ensuring stability
- By removing the cap on the handgrip, it can be used with threaded handles, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone. The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)

MATERIAL

Polypropylene copolymer, stainless steel, rubber and polyethylene

PRODUCT SHEET

RELATED PRODUCTS



Acrylic sleeve for hand dusters **SPILLO** and **SNAKE**



Microfiber sleeve for **SPILLO** and **SNAKE** hand dusters, 1 side long yarn_1 side short yarn




Microfiber short sleeve for hand dusters **SPILLO** e **SNAKE**



QUIK-STIK - Disposable cloth with glue for Spillo and Snake hand dusters



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Plastic mop holder with grip with Italian thread for **SPILLO** hand duster



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
2460U		0,18	40	6	0,008	1,31
2660U		0,214	60	6	0,011	1,57

Suitable for use with QUIK-STIK disposable cloths
Compatible with Uni-Connect system

APPLICATIONS

It is suitable for any kind of surface and especially for the hard to reach spaces such as behind the radiators and on the wardrobes.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Flexible: the joint is adjustable till 270° and it allows maximum use flexibility
- It is light and practical
- Versatile: ideal both for dry cleaning with acrylic sleeves and wet cleaning with microfibre sleeves
- By removing the cap on the handgrip, it can be used with threaded handles, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone. The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)

MATERIAL

Polypropylene copolymer and polyethylene

PRODUCT SHEET

RELATED PRODUCTS



Acrylic sleeve for hand dusters **SPILLO** and **SNAKE**



Microfiber sleeve for **SPILLO** and **SNAKE** hand dusters, 1 side long yarn_1 side short yarn




Microfiber short sleeve for hand dusters **SPILLO** e **SNAKE**



QUIK-STIK - Disposable cloth with glue for Spillo and Snake hand dusters



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

 Acrylic sleeve for hand dusters **SPILLO** and **SNAKE**


REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
1084A		-	0,094	40	12	0,011	1,32
2084A		130	0,13	60	12	0,015	1,75

APPLICATIONS

Ideal for dry dust mopping of any kind of surface.

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made in Italy
- Latex-free product

MATERIAL

Yarn: coloured acrylic

Backing: cotton

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

We suggest to use the specific net bags for the mop washing



PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 50° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS

Shapable rubber mop holder with cloth fixing clips and grip with Italian thread for **SNAKE** hand dusterPlastic mop holder with grip with Italian thread for **SPILLO** hand duster

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Microfiber sleeve for **SPILLO** and **SNAKE** hand dusters, 1 side long yarn_1 side short yarn



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
1086		-	0,09	40	12	0,011	1,27
2086		127	0,127	60	12	0,015	1,71

APPLICATIONS

Ideal for dry and wet dust mopping of any kind of surface.

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made in Italy
- Latex-free product

MATERIAL

Composition microfiber short yarn: 100% polyester

Composition microfiber long yarn: 80% polyester 20% polyamide

Decitex = 0,58

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

We suggest to use the specific net bags for the mop washing



PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS

Shapable rubber mop holder with cloth fixing clips and grip with Italian thread for **SNAKE** hand dusterPlastic mop holder with grip with Italian thread for **SPILLO** hand duster

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Microfiber short sleeve for hand dusters **SPILLO e SNAKE**



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
1085		-	0,09	40	12	0,011	1,27
1085A		-	0,034	40	12	0,011	0,6
2085		125	0,125	60	12	0,015	1,69
2085A		46	0,046	60	12	0,015	0,74

APPLICATIONS

Ideal for dry and wet dust mopping of any kind of surface.

ECO BOX



ECO-FRIENDLY PRODUCT

100% solar-powered textile production

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made in Italy
- Latex-free product

MATERIAL

Microfiber 100% polyester
Decitex = 0,58

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing



PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS

Shapable rubber mop holder with cloth fixing clips and grip with Italian thread for **SNAKE** hand dusterPlastic mop holder with grip with Italian thread for **SPILLO** hand duster

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"



PRODUCT SHEET

QUIK-STIK - Disposable cloth with glue for Spillo and Snake hand dusters



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
00PU0102000	Pkg: 20 polybags with 12 pcs each	2,1	40	1	0,034	2,26
00PU0102001	Pkg: 20 polybags with 12 pcs each	2,76	60	1	0,045	3,38

Code 00PU0102000 available while supplies last

APPLICATIONS

To be used with Spillo and Snake holders for dusting any type of surface.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Manufactured with a special TNT soaked up with a sticky substance that efficiently attracts, catches and holds the micro particles of dust and dirt
- Excellent sliding capacity, doesn't leave residues and streaks on surfaces

MATERIAL

Polypropylene and viscose

Weight: 90 g/m²

WARNINGS

The contact with the cloth does not pose any risk. Anyway, it is suggested the use of rubber gloves, as for all the cleaning products
The glue dissolves whenever it comes in contact with water



PRODUCT SHEET

RELATED PRODUCTS



Shapable rubber mop holder with cloth fixing clips and grip with Italian thread for **SNAKE** hand duster



Plastic mop holder with grip with Italian thread for **SPILLO** hand duster

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

FLATTY - plastic mop holder with grip with Italian thread for dusting with microfiber mops



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
2430U		0,308	11x54	10	0,03	3,52

Suitable for 40x40 cm microfibre dust cloths (see the Touch cloth section)
Compatible with Uni-Connect system

APPLICATIONS

Hand duster suitable for the cleaning of any kind of surface.
To be used with multipurpose cloths.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The disposable cloth is used first for manual dusting of accessible areas and then with Flatty hand duster to reach shelves or raised shelves
- The width of the hand duster and its perfect adherence to the surface allow a quick and efficient cleaning in a few simple steps.
- The cloths are rolled up on the hand duster holder and can be fixed thanks to the specific fixing clips
- 360° rotation for a double side cleaning performance, up to 270° inclination to reach any place
- By removing the cap on the handgrip, it can be used with threaded handles, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone. The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)

MATERIAL

Polypropylene copolymer and polyethylene

PRODUCT SHEET

RELATED PRODUCTS



DUAL-T - ultra-microfiber multipurpose cloth with scrubbing edge



MULTI-T - ultra-microfiber multipurpose cloth



QUIK-STIK - Disposable cloth with glue for Flatty holder



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

FLATTY - plastic hand duster for microfiber cloths



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
1430		0,312	11x54	10	0,03	3,56

Adaptable to telescopic poles and aluminium handles - Suitable for 40x40 cm microfibre dust cloths (see the Touch cloth section)

Available while stocks last

APPLICATIONS

Hand duster suitable for the cleaning of any kind of surface.
To be used with multipurpose cloths.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The disposable cloth is used first for manual dusting of accessible areas and then with Flatty hand duster to reach shelves or raised shelves
- The width of the hand duster and its perfect adherence to the surface allow a quick and efficient cleaning in a few simple steps.
- The cloths are rolled up on the hand duster holder and can be fixed thanks to the specific fixing clips
- 360° rotation for a double side cleaning performance, up to 270° inclination to reach any place
- Fitting telescopic poles thanks to its removable grip with hole; adding the end cone art. P179041A it fits also telescopic handles and aluminium handles with 3 holes

MATERIAL

Polypropylene copolymer, polyethylene and aluminium

PRODUCT SHEET

RELATED PRODUCTS



DUAL-T - ultra-microfiber multipurpose cloth
with scrubbing edge



MULTI-T - ultra-microfiber multipurpose cloth



QUIK-STIK - Disposable cloth with glue for
Flatty holder

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

QUIK-STIK - Disposable cloth with glue for Flatty holder



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
00PU0102002	Pck: 10 polybags with 25 pcs each	2,21	31x38	1	0,038	2,73

Available while stocks last

APPLICATIONS

non tradotto

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Manufactured with a special TNT soaked up with a sticky substance that efficiently attracts, catches and holds the micro particles of dust and dirt
- Excellent sliding capacity, doesn't leave residues and streaks on surfaces

MATERIAL

Polypropylene and viscose
Weight: 75 g/m²

WARNINGS

The contact with the cloth does not pose any risk. Anyway, it is suggested the use of rubber gloves, as for all the cleaning products
The glue dissolves whenever it comes in contact with water

RELATED PRODUCTS



FLATTY - plastic mop holder with grip with Italian thread for dusting with microfiber mops



PRODUCT SHEET

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

FIL - acrylic hand duster in polybag



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
2012		0,11	50	0,079	6,48

APPLICATIONS

Its special U-shaped plastic support makes it easy to dust surfaces and the spaces between radiators.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

MATERIAL

Polypropylene and acrylic

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



MAX washing temperature: 50° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11



PRODUCT SHEET

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

DASTER - acrylic hand duster with grip with Italian thread, single packed



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
2013		0,216	6	0,022	1,8

Ideal packaging for resale

Compatible with Uni-Connect system

APPLICATIONS

Hand duster for all surfaces.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Its practical button allows to bend the hand duster up to 240° in order to adapt it to the surface to clean
- It can be securely fixed thanks to its fastening system
- 100% Acrylic replacement sleeve, it traps and keeps effectively even the smallest particle of dust. Easily replaceable
- By removing the cap on the handgrip, it can be used with threaded handles, poles with Uni-Connect ø 21 mm cone and telescopic handles with Uni-Connect ø 23 mm cone. The connection with thread fastens the product firmly to the handle, avoiding dangerous releases
- Compatible with Uni-Connect: system that allows you to quickly and easily connect the same handle to any cleaning tool, quickly switching from one tool to another (mop holder, window squeegee, duster...)

MATERIAL

Mop holder: polypropylene copolymer

Yarn: coloured acrylic



PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



MAX washing temperature: 50° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean


Do not use softener

Use alkaline detergents with Ph < 11


RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 2 pieces



Aluminum pole complete with cone with Italian thread for Uni-Connect system



Aluminum telescopic pole complete with end cone with Italian thread for Uni-Connect system – 3 pieces

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Acrylic mop for hand duster **DASTER**



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
1090		0,058	12	0,011	0,89

APPLICATIONS

non tradotto

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- **non tradotto**

MATERIAL

non tradotto

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

POWER-T - non-woven ultra-microfiber cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH201010			0,022	40x40	5	-	0,11
TCH201020			0,022	40x40	5	-	0,11
TCH201030			0,022	40x40	5	-	0,11
TCH201040			0,022	40x40	5	-	0,11
TCH201019	pck.: 20 polybags with 5 pcs		2,2	40x40	1	0,013	2,45
TCH201029	pck.: 20 polybags with 5 pcs		2,2	40x40	1	0,013	2,45
TCH201039	pck.: 20 polybags with 5 pcs		2,2	40x40	1	0,013	2,45
TCH201049	pck.: 20 polybags with 5 pcs		2,2	40x40	1	0,013	2,45

Cloth for all surfaces - Degreasing and polishing effect - Weight 130 gr/sqm

APPLICATIONS

For all surfaces, even shiny and delicate ones
Suitable for any environment.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The very thin 0,15 dtex diameter fibres remove easily the most stubborn greasy dirt
- Cleans surfaces quickly, restoring shine
- Can be used dry and wet
- High chemical resistance and long life
- Color-coded available to reduce the risk of cross-contamination

PRODUCT SHEET

MATERIAL

Ultra-microfibre (70% polyester - 30% polyamide) - decitex = 0.15

ABSORBENCY

4 times its weight

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

DUAL-T - ultra-microfiber multipurpose cloth with scrubbing edge



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH104010			0,04	40x40	5	0,002	0,2
TCH104020			0,04	40x40	5	0,002	0,2
TCH104030			0,04	40x40	5	0,002	0,2
TCH104040			0,04	40x40	5	0,002	0,2
TCH104019	pck.: 40 polybags with 5 pcs		8,03	40x40	1	0,08	9,2
TCH104029	pck.: 40 polybags with 5 pcs		8,03	40x40	1	0,08	9,2
TCH104039	pck.: 40 polybags with 5 pcs		8,03	40x40	1	0,08	9,2
TCH104049	pck.: 40 polybags with 5 pcs		8,03	40x40	1	0,08	9,2

Cloth for any surface and for very dirty environments - Ideal to remove any marks and sediment deposit - Weight 250 gr/mq

APPLICATIONS

Dry polishing effect.
Suitable for any surface.
Suitable for any environment.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The scrubbing edge allows to remove any marks and sediment deposit
- Removes and retains dirt
- Reduces the use of detergents significantly
- It can be disinfected and washed in the washing machine

PRODUCT SHEET

MATERIAL

Ultra-microfiber (90% polyester - 10% polyamide) - decitex = 0.15

ABSORBENCY

4 times its weight

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

ECO MULTI-T - multipurpose ultra-microfibre cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCE101010			0,042	40x40	5	0,002	0,21
TCE101020			0,042	40x40	5	0,002	0,21
TCE101030			0,042	40x40	5	0,002	0,21
TCE101040			0,042	40x40	5	0,002	0,21
TCE101019	pck.: 40 polybags with 5 pcs		8,44	40x40	1	0,08	8,85
TCE101029	pck.: 40 polybags with 5 pcs		8,4	40x40	1	0,08	8,81
TCE101039	pck.: 40 polybags with 5 pcs		8,44	40x40	1	0,08	8,85
TCE101049	pck.: 40 polybags with 5 pcs		8,44	40x40	1	0,08	8,85

Cloth for any surface and for very dirty environments - Resistant, it removes and keeps dirt - Weight 250 gr/sqm

APPLICATIONS

Used for very dirty environments.
Dry polishing effect.
Suitable for any surface.
Suitable for any environment.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECOLABEL CERTIFIED PRODUCT

Environmental label in compliance with UNI EN ISO 14024 that rewards the best eco friendly products, certifying their low environmental impact throughout their life cycle and qualifying them in the market



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

PRODUCT SHEET



LOW ENVIRONMENTAL IMPACT PRODUCT

The product passed the test for microplastic release during washing and rinsing, carried out according to ISO 4484-1 and 4484-2 by an independent laboratory

FEATURES

- Tests by an independent external laboratory show that the mop, used wet, can remove Coronavirus 229E from steel surfaces with a reduction capacity of 99.9%.
- Removes and retains dirt
- Reduces the use of detergents significantly
- It can be disinfected and washed in the washing machine

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.14

ABSORBENCY

5 times its weight

LIFE CYCLE

Washable max 500 cycles if washing instructions and warnings are respected

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

PRODUCT VERSIONS



MULTI-T LIGHT - ultra-microfiber
multipurpose cloth



PRODUCT SHEET

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

MULTI-T - ultra-microfiber multipurpose cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH101010			0,042	40x40	5	0,002	0,21
TCH101020			0,042	40x40	5	0,002	0,21
TCH101030			0,042	40x40	5	0,002	0,21
TCH101040			0,042	40x40	5	0,002	0,21
TCH101019	pck.: 40 polybags with 5 pcs		8,44	40x40	1	0,08	8,85
TCH101029	pck.: 40 polybags with 5 pcs		8,4	40x40	1	0,08	8,81
TCH101039	pck.: 40 polybags with 5 pcs		8,44	40x40	1	0,08	8,85
TCH101049	pck.: 40 polybags with 5 pcs		8,44	40x40	1	0,08	8,85

Cloth for any surface and for very dirty environments - Resistant, it removes and keeps dirt - Weight 250 gr/sqm

APPLICATIONS

Used for very dirty environments.
Dry polishing effect.
Suitable for any surface.
Suitable for any environment.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Removes and retains dirt
- Reduces the use of detergents significantly
- It can be disinfected and washed in the washing machine



PRODUCT SHEET

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.15

ABSORBENCY

4 times its weight

LIFE CYCLE

Washable max 800 cycles if washing instructions and warnings are respected

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

PRODUCT VERSIONS



MULTI-T LIGHT - ultra-microfiber multipurpose cloth



ECO MULTI-T - multipurpose ultra-microfibre cloth

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

MULTI-T LIGHT - ultra-microfiber multipurpose cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH101510			0,03	38x38	20	0,007	0,6
TCH101520			0,03	38x38	20	0,007	0,6
TCH101530			0,03	38x38	20	0,007	0,6
TCH101540			0,03	38x38	20	0,007	0,6
TCH101519	pck.: 10 polybags with 20 pcs		6,064	38x38	1	0,047	6,6
TCH101529	pck.: 10 polybags with 20 pcs		6,064	38x38	1	0,047	6,6
TCH101539	pck.: 10 polybags with 20 pcs		6,064	38x38	1	0,047	6,6
TCH101549	pck.: 10 polybags with 20 pcs		6,064	38x38	1	0,047	6,6

Cloth for any surface and for very dirty environments - Resistant, it removes and keeps dirt - Weight 220 gr/sqm

APPLICATIONS

Used for very dirty environments.
Dry polishing effect.
Suitable for any surface.
Suitable for any environment.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Removes and retains dirt
- Reduces the use of detergents significantly
- It can be disinfected and washed in the washing machine

PRODUCT SHEET

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.15

ABSORBENCY

4 times its weight

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

PRODUCT VERSIONS



MULTI-T - ultra-microfiber multipurpose cloth

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

MULTI-T A-B PLUS - anti-bacterial ultra-microfiber multipurpose cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH101410			0,056	40x40	5	0,002	0,28
TCH101420			0,056	40x40	5	0,002	0,28
TCH101430			0,056	40x40	5	0,002	0,28
TCH101440			0,056	40x40	5	0,002	0,28
TCH101419	pck.: 40 polybags with 5 pcs		11,2	40x40	1	0,08	11,6
TCH101429	pck.: 40 polybags with 5 pcs		11,2	40x40	1	0,08	11,6
TCH101439	pck.: 40 polybags with 5 pcs		11,2	40x40	1	0,08	11,6
TCH101449	pck.: 40 polybags with 5 pcs		11,2	40x40	1	0,08	11,6

With anti-bacterial treatment, it removes up to 99,98% of bacteria and fungi - Cloth for any surface and for very dirty environments - Resistant, it removes and keeps dirt - Weight 310 gr/mq

APPLICATIONS

Suitable in any surface and in any environment (hospitals, hotels, offices, schools, nursery schools, public facilities etc).
It can be used dry for dusting or damped with water to wipe and clean surfaces.
Used for very dirty environments.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

PRODUCT SHEET

FEATURES

- Microfiber treated with silver ions: tested according to ISO 20743: 2013, the cloths have a strong antibacterial ability against Staphylococcus aureus and Klebsiella pneumoniae
- Thanks to the microfiber action and its structure so close-knit and resistant, the very thin fibers can penetrate the microscopical pores of any surface collecting dirt with excellent results
- It removes oils and moisture too reducing the use of chemical
- It removes and holds the dirt leaving the surfaces clean, dry and bright
- Double-faced cloth which can be used on both sides
- Resistant to the frequent use and suitable for any surface

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.14
Silver ion treated material

ABSORBENCY

4 times its weight

LIFE CYCLE

Can be washed max 400 cycles if washing instructions and warnings are followed

CARE AND MAINTENANCE

WARNINGS

N.B.: High-temperature washing is not necessary, as bacteria are already killed by silver ion treatment

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

SILKY-T - ultra-microfiber multipurpose cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH101210			0,024	30x40	5	0,001	0,12
TCH101220			0,024	30x40	5	0,001	0,12
TCH101230			0,024	30x40	5	0,001	0,12
TCH101240			0,024	30x40	5	0,001	0,12
TCH101219	pck.: 48 polybags with 5 pcs		5,76	30x40	1	0,068	6,01
TCH101229	pck.: 48 polybags with 5 pcs		5,76	30x40	1	0,068	6,01
TCH101239	pck.: 48 polybags with 5 pcs		5,76	30x40	1	0,068	6,01
TCH101249	pck.: 48 polybags with 5 pcs		5,76	30x40	1	0,068	6,01

Cloth for all surfaces - Resistant, it removes and keeps dirt, lint and smear free - Weight 190 gr/mq

APPLICATIONS

This cloth can be used wet or dry for the dusting and/or polishing of any surface with medium/low dirt

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Removes and retains dirt
- Dry polishing effect
- It doesn't leave haze and it doesn't lint
- Reduces the use of detergents significantly
- Resistant to the frequent use
- It can be disinfected and washed in the washing machine



PRODUCT SHEET

MATERIAL

Ultra-microfiber (70% polyester - 30% polyamide) - decitex = 0.15

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

FREE-T - Thermobounded non-woven multipurposes cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH601010			0,022	38x40	10	0,002	0,22
TCH601020			0,022	38x40	10	0,002	0,22
TCH601030			0,022	38x40	10	0,002	0,22
TCH601040			0,022	38x40	10	0,002	0,22
TCH601019	pck.: 20 polybags with 10 pcs		4,4	38x40	1	0,042	4,75
TCH601029	pck.: 20 polybags with 10 pcs		4,4	38x40	1	0,042	4,75
TCH601039	pck.: 20 polybags with 10 pcs		4,4	38x40	1	0,042	4,75
TCH601049	pck.: 20 polybags with 10 pcs		4,4	38x40	1	0,042	4,75

Cloth ideal to dust any surface - Half-disposable, cheapWeight 130 gr/sqm

APPLICATIONS

It can be used wet for a quick cleaning and dry for the dusting.
Multipurpose cloth suitable for any environment.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The fibers on the cloth surface collect the dust thanks even to a slight antistatic effect
- Made up of soft resistant and absorbent fibers
- Very good price-level

MATERIAL

70% Viscose - 20% Polypropylene - 10% Polyester

ABSORBENCY

8 times its weight



PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005









DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

STEEL-T - coagulated textile wiping cloth



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH401010			0,046	38x38	5	0,002	0,23
TCH401020			0,046	38x38	5	0,002	0,23
TCH401030			0,046	38x38	5	0,002	0,23
TCH401040			0,046	38x38	5	0,002	0,23
TCH401019	pck.: 20 polybags with 5 pcs		4,958	38x38	1	0,028	5,23
TCH401029	pck.: 20 polybags with 5 pcs		4,958	38x38	1	0,047	5,23
TCH401039	pck.: 20 polybags with 5 pcs		4,958	38x38	1	0,047	5,23
TCH401049	pck.: 20 polybags with 5 pcs		4,958	38x38	1	0,047	5,23

Cloth for glossy surfaces, chromed steel, ceramics - Polishes and removed limescale - Degreasing - Weight 285 gr/mq

APPLICATIONS

Glossy surfaces
Steel, chrome and ceramic.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Polishes and removed limescale
- Degreasing
- Remarkable absorption and deep cleaning capacity
- It doesn't smear on reflecting surface
- Resistant to the frequent use
- Washable in dishwasher and washing machine

MATERIAL

Coagulated textile (68% polyester - 12% polyamide - 20% polyurethane)



PRODUCT SHEET

ABSORBENCY

4 times its weight

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

GLAZY-T - non-woven ultra-microfiber cloth



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH201120		0,028	40x50	5	0,001	0,15
TCH201129	pck.: 20 polybags with 5 pcs	2,8	40x50	1	0,028	3,3

Ideal for glass, windows and dishes - It cleans without leaving marks - Weight 130 gr/sqm

APPLICATIONS

Ideal size for cleaning shiny surfaces, windows and dishes. Recommended in environments such as restaurants and bars

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The very thin fibres of 0,15 dtex diameter remove dirt without leaving marks or streaks
- Can be used dry and wet
- Low friction
- Soft and easy to rinse and squeeze
- High mechanical resistance cleaning to detergents and disinfectants

MATERIAL

Ultra-microfibre (70% polyester - 30% polyamide) - decitex = 0.15

ABSORBENCY

4 times its weight

PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

GLASS-T - ultra-microfiber wiping cloth



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH103020		0,029	40x40	5	0,001	0,15
TCH103029	pck.: 40 polybags with 5 pcs	5,8	40x40	1	0,028	6

Cloth for glossy surfaces - It wipes without smearing - Ideal for glasses - Weight: 180 gr/Sq m

APPLICATIONS

Manual use for the cleaning of interior windows, mirrors, stainless steel surfaces and all the glossy surfaces whose cleaning can be done without the use of tools.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- High performance thanks to the excellent cleaning action of the ultra-microfiber cloth
- Together with an alcohol-based chemical product, it cleans brightly with one wipe and without drying operations
- It dries without leaving haze
- The cloth can be used on both sides: the rough side gives better results in cleaning and thanks to this cloth the surfaces are brighter

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.15

ABSORBENCY

Twice its weight

PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Bleaching possible - Do not use chlorine or bleach



Drying-chamber



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

CRISTAL-T - perforated wiping cloth



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH404030		0,031	38x40	10	0,002	0,31
TCH404039	pck.: 10 polybags with 10 pcs	3,15	38x40	1	0,028	3,35

Cloth for glossy surfaces - It wipes without smearing - Ideal for car cleaning - Weight: 180 gr/Sq m

APPLICATIONS

Suitable for car cleaning and glossy surfaces such as mirrors and glass.
Ideal for the car.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Remarkable absorption and deep cleaning capacity
- Smooth and soft hand
- It dries without leaving haze
- Sliding and handy
- Bleach resistant (1 gr Cl/I)
- It can be disinfected and washed in the washing machine

MATERIAL

Perforated cloth (70% viscose - 30% polyurethane)

ABSORBENCY

5 times its weight



PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

SLIDE-T- resin coated wiping cloth



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH602030		0,024	40x45	10	0,002	0,24
TCH602039	pck.: 20 polybags with 10 pcs	4,8	40x45	1	0,064	5,43

Cloth ideal for any surface - Smooth-running and bleach resistant - Weight 160 gr/sqm

APPLICATIONS

Thanks to its compact and uniform structure, it slides also on rough surfaces. It can be used also on delicate ones such as bar counters, wash basin and painted surfaces.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Remarkable absorption thanks to the high presence of viscose and deep cleaning capacity to remove dirt
- It doesn't leave haze and it doesn't lint
- It can be used with any kind of detergent
- Bleach resistant (1 gr Cl/l)
- It can be disinfected and washed in the washing machine

MATERIAL

Resin coated cloth (80% viscose - 20% polyester)

ABSORBENCY

7 times its weight

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing. We recommend the use of normal detergent for textiles, no fabric softener. We suggest to use the specific net bags for the mop washing.

PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

PROFI-T - non-woven ultra-microfiber cloth



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH102020		0,02	38x40	5	0,001	0,1
TCH102029	pck.: 20 polybags with 5 pcs	2	38x40	1	0,01	2,35

Cloth for glass, glasses and delicate surfaces - Smooth-running and degreasing - Weight 100 gr/sqm

APPLICATIONS

Glass and mirrors.
Delicate surfaces
Suitable for any environment.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- It dries without leaving haze
- It is light and practical
- Sliding
- Degreasing
- Washable in washing machine

MATERIAL

Ultra-microfiber (50% polyester - 50% polyamide)

ABSORBENCY

4 times its weight



PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

MULTI-T MAXI - ultra-microfiber multipurpose cloth



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH101120		0,08	50x60	5	0,004	0,4
TCH101129	pck.: 40 polybags with 5 pcs	16,08	50x60	1	0,079	16,38

Cloth for any surface and for very dirty environments - Resistant, soft and big size, it removes and keeps dirt- Weight 250 gr/sqm

APPLICATIONS

Used for very dirty environments.
Suitable for any surface.
Suitable for any environment.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Removes and retains dirt
- Dry polishing effect
- Soft and voluminous
- Reduces the use of detergents significantly
- Resistant to the frequent use
- It can be disinfected and washed in the washing machine

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.158

PRODUCT SHEET

ABSORBENCY

4 times its weight

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

BASIC-T - resin coated cloth for floor washing



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH603040		0,042	40x50	10	-	0,42
TCH603049	pck.: 20 polybags with 10 pcs	8,4	40x50	1	0,073	8,65

Cloth for smooth and delicate floors - Resistant and smooth-running - Weight 210 gr/sqm

APPLICATIONS

To be used wet in combination with detergents in any kind of floors such as wood, marble, linoleum, ceramic floor.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Very good absorbent and strongly abrasion resistant
- It doesn't lint
- Bleach resistant (1 gr Cl/I)
- It can be disinfected and washed in the washing machine

MATERIAL

Resin coated cloth (80% viscose - 20% polyester)

ABSORBENCY

8 times its weight

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

We suggest to use the specific net bags for the mop washing

PRODUCT SHEET

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

FAST-T- microfiber cloth for floor washing



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH120020		0,061	60x40	5	0,002	0,31
TCH120029	pck.: 40 polybags with 5 pcs	12,2	60x40	1	0,087	12,55

Cloth for smooth and delicate floors - Resistant and smooth-running, it removes and keeps dirt - Weight 250 gr/sqm

APPLICATIONS

Used for the cleaning and maintenance of smooth and delicate floors; advised with the specific floor squeegee with rubber blade 55 cm. The cloth is fixed to the floor squeegee by means of a clip.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- High performance thanks to the excellent cleaning action of the ultra-microfiber cloth
- It can be used more times on both sides making use of the whole length of it
- It provides an ergonomic, light and compact system if used together with the floor squeegee with rubber blade 55 cm
- Removes and retains dirt
- Sliding
- Resistant to the frequent use

MATERIAL

Microfiber (80% polyester - 20% polyamide) - decitex = 0.30

PRODUCT SHEET

INTENSIVE-T - sponge with ultra-abrasive scourer



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
TCH803000		0,018	14x9,5x3,5	10	-	0,18
TCH803009	pck.: 10 polybags with 10 pcs	1,8	14x9,5x3,5	1	0,053	2,37

Sponge for any environment - Degreasing

APPLICATIONS

The polyurethane has an open structure brown coloured which in combination with the green extra abrasive scourer, guarantees a high performance level on any surfaces
It can be used in any environment.
Do not use the abrasive scourer on smooth and glossy surfaces

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Absorbent
- Degreasing

MATERIAL

Polyester and polyurethane

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Multipurpose sponge



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
9111		0,042	12x29x6,5	180	0,38	7,56

Sponge for any environment

APPLICATIONS

It can be used in any environment.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

MATERIAL

Flexible foamed polyurethane

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Ultra-microfiber mitten for dusting/washing, with color-coded tags



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
8593	Packed into polybags with 5 pcs each	0,034	14x26	5	0,001	0,17

Weight: 370 gr/mq

APPLICATIONS

Suitable for manual cleaning of all surfaces.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Microfibre allows to remove completely dust and dirt from surfaces, assuring a deep and effective cleaning
- With colour-coded label to handle risk correctly, avoiding the transmission of bacteria from one surface to the other

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.14

LIFE CYCLE

Washable max 300 cycles if washing instructions and warnings are respected



PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 90° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Ultra-microfiber mitten for glasses, with color-coded tags



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
8594	Packed into polybags with 5 pcs each	0,026	14x26	5	0,001	0,13

Weight: 300 gr/mq

APPLICATIONS

Used for glass cleaning.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Microfibre allows to remove completely dust and dirt from surfaces, assuring a deep and effective cleaning
- With colour-coded label to handle risk correctly, avoiding the transmission of bacteria from one surface to the other

MATERIAL

Ultra-microfiber (80% polyester - 20% polyamide) - decitex = 0.14

LIFE CYCLE

Washable max 300 cycles if washing instructions and warnings are respected



PRODUCT SHEET

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing
We recommend the use of normal detergent for textiles, no fabric softener
We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



MAX washing temperature: 60° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

MONO-ROLL - manual disposable cloth in TNT



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
00PU0203000	pck.: 6 rolls with 90 tears each	2,4	32x28	1	0,025	2,76

APPLICATIONS

Cloth suitable for manual surface washing. A double tear combined to Spillo holder can be used for cleaning large and more difficult to reach surfaces. In industry it is recommended for its high oil absorption capacity and good resistance to solvents.. Suitable for use with disinfectants.

ECO BOX



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- The non-woven fibres with special pierced layer grant an effective dirt collection and reduce the accidental tearing risk compared to paper
- The cloth has an excellent absorbance capacity and provides a homogeneous solution release
- Central single cloth pull out
- The roll can be used with 4 L bucket with hermetic cover. The cloths are soaked with cleaning/disinfecting solution directly into the bucket and then used individually by pulling them out of the central opening of the cover
- Each tear has a surface covering of 10/12 m²
- Roll size: 20x13,5x14 cm

MATERIAL

65% viscose and 35% polyester
Weight: 50 g/m²

ABSORBENCY

Single cloth absorbs 16-20 ml
We recommend the use of 1.5 -1.8 lt of solution per roll

PRODUCT SHEET

RELATED PRODUCTS



4 Lt plastic bucket with handle and hermetic cover with central slot for cloth extraction



Graduated plastic jar



Plastic mop holder with grip with Italian thread for **SPILLO** hand duster

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

4 lt plastic bucket with handle and hermetic cover with central slot for cloth extraction



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000SE3104A			0,47	17x25,5x25	5	0,028	2,65
0000SE3104B			0,47	17x25,5x25	5	0,028	2,65
0000SE3104C			0,47	17x25,5x25	5	0,028	2,65
0000SE3104F			0,47	17x25,5x25	5	0,028	2,65

APPLICATIONS

Bucket for roll cloths in TNT Mono-Roll. The cloths are soaked with cleaning/disinfecting solution directly into the bucket and then used individually by pulling them out of the central opening of the cover.

ECO BOX



PSV PRODUCT

Product partially made of PSV certified plastic components - Plastic Second Life: the first Italian and European brand of environmental product certification that guarantees and makes it easier to identify goods obtained using recycled plastics



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of high quality polypropylene copolymer: light, shock-proof, heavy duty and low-temperature resistant
- Transparent plastic cover with hermetic closure to allow you to see the consumption level of the roll
- Bottom protection rim

PRODUCT SHEET

MATERIAL

Bucket: polypropylene copolymer - PSV

Cover: linear polyethylene

RELATED PRODUCTS



MONO-ROLL - manual disposable cloth in
TNT

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY







All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



RAPIDO SUPER EXTRA - high-performing white microfiber mop, looped yarn, with colored backing for strap tape system



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
00PN0323A00DA		60	0,06	30x10	25	0,011	1,69
00PN0423A00DA		90	0,09	40x10	25	0,015	2,44
00PN0423A00DB		90	0,09	40x10	25	0,015	2,44
00PN0423A00DC		90	0,09	40x10	25	0,015	2,44
00PN0423A00DF		90	0,09	40x10	25	0,015	2,44
00PN0623A00DA		124	0,124	60x10	20	0,015	2,67

Ideal for industrial floors, natural stones, single-fired tiles and stoneware with a medium-high degree of dirt

APPLICATIONS

It is indicated for the washing/disinfection of floors with a medium/high degree of dirt. Suggested for cleaning inside floors (hotels, houses, offices, hospitals etc.).

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable Ecolabel (EU) certified microfiber "flat" mop
Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECOLABEL CERTIFIED PRODUCT

Environmental label in compliance with UNI EN ISO 14024 that rewards the best eco friendly products, certifying their low environmental impact throughout their life cycle and qualifying them in the market



ECO-FRIENDLY PRODUCT

100% solar-powered textile production
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper



LOW ENVIRONMENTAL IMPACT PRODUCT

The code 00PN0423A00DA has passed the test on the release of microplastics during washing and rinsing, carried out according to the ISO 23231 standard by an independent laboratory

PRODUCT SHEET

FEATURES

- Tests by an independent external laboratory show that the mop, used wet, can remove Coronavirus 229E from steel surfaces with a reduction capacity of 99.9%.
- Thanks to its structure, the microfiber absorbs more due to its yarn capillarity and it covers a wider cleaning area
- Thanks to a special twisting process, this yarn keeps its shape and structure even after many washing cycles with low linting
- Support for strap tape system: it is an innovative unshrinkable material which is non-linting and does not fade keeping its characteristics unaltered
- Made in Italy
- Latex-free product

MATERIAL

CLEANING SIDE

Microfibre: 100%

Microfibre composition: 80% Polyester - 20% Polyamide

Microfibre Denier: 0,28

SYSTEM

Strap tape in polyamide

ABSORBENCY

Dry mop absorbs up to 3 times its own weight

LIFE CYCLE

Washable max 500 cycles if washing instructions and warnings are respected

CARE AND MAINTENANCE

WARNINGS

In order to guarantee the high performance of the microfiber it is necessary to perform at least 2 washes before using it

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always pre-wash in cold water without detergent to remove residues of the chemical product used

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

PRODUCT SHEET

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint



Mop holder with strips 2,5 cm for strap tape system



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



Mop holder with 2,5 cm strips for strap tape system, with Uni-Connect fitting and cone and Lock System



Aluminium mop holder with strap tape system strips



Aluminium mop holder with strips for strap tape system and Lock System joint



Aluminium mop holder with strips for strap tape system, with ErgoSwing joint



Aluminium mop holder with strips for strap tape system, with Uni-Connect fitting and cone and Lock System



UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes



Kit **ERGODROP** - tank handle 500 ml with aluminium mop holder 40 cm with strips for strap tape system with ErgoSwing fitting, bordered Skill-Fur microfiber mop and dosing jug



TOP-DOWN® 20 lt - plastic bucket with plastic handle and hermetic cover


GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY













All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



RAPIDO SUPER - high-performing white microfiber mop, looped yarn, with colored backing for strap tape system



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
00PN0309A00DA		48	0,048	30x10	25	0,011	1,39
00PN0309A00DB		48	0,048	30x10	25	0,011	1,39
00PN0309A00DC		48	0,048	30x10	25	0,011	1,39
00PN0309A00DF		48	0,048	30x10	25	0,011	1,39
00PN0409A00DA		70	0,07	40x10	25	0,019	2,09
00PN0409A00DB		70	0,07	40x10	25	0,019	2,09
00PN0409A00DC		70	0,07	40x10	25	0,019	2,09
00PN0409A00DF		70	0,07	40x10	25	0,019	2,09
00PN0609A00DA		104	0,104	60x10	20	0,019	2,42
00PN0609A00DB		104	0,104	60x10	20	0,019	2,42
00PN0609A00DC		104	0,104	60x10	20	0,019	2,42
00PN0609A00DF		104	0,104	60x10	20	0,019	2,42

Ideal for any surface with medium-high dirt

APPLICATIONS

It is indicated for the washing/disinfection of floors with a medium/high degree of dirt. Suggested for cleaning inside floors (hotels, houses, offices, hospitals etc.).

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable Ecolabel (EU) certified microfiber "flat" mop
Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECOLABEL CERTIFIED PRODUCT

Environmental label in compliance with UNI EN ISO 14024 that rewards the best eco friendly products, certifying their low environmental impact throughout their life cycle and qualifying them in the market



ECO-FRIENDLY PRODUCT

100% solar-powered textile production
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

PRODUCT SHEET



LOW ENVIRONMENTAL IMPACT PRODUCT

The code 00PN0409A00DA has passed the test on the release of microplastics during washing and rinsing, carried out according to the ISO 23231 standard by an independent laboratory

FEATURES

- Thanks to a special twisting process, this yarn keeps its shape and structure even after many washing cycles with low linting
- Thanks to its structure, the microfiber absorbs more due to its yarn capillarity and it covers a wider cleaning area
- Support for strap tape system: it is an innovative unshrinkable material which is non-linting and does not fade keeping its characteristics unaltered
- Made in Italy
- Latex-free product

MATERIAL

CLEANING SIDE

Microfibre: 100%

Microfibre composition: 80% Polyester - 20% Polyamide

Microfibre Denier: 0,28

SYSTEM

Strap tape in polyamide

ABSORBENCY

Dry mop absorbs up to 3 times its own weight

LIFE CYCLE

Washable max 500 cycles if washing instructions and warnings are respected

CARE AND MAINTENANCE

WARNINGS

In order to guarantee the high performance of the microfiber it is necessary to perform at least 2 washes before using it

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always pre-wash in cold water without detergent to remove residues of the chemical product used

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

PRODUCT SHEET

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint



Mop holder with strips 2,5 cm for strap tape system



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



Mop holder with 2,5 cm strips for strap tape system, with Uni-Connect fitting and cone and Lock System



Aluminium mop holder with strap tape system strips



Aluminium mop holder with strips for strap tape system and Lock System joint



Aluminium mop holder with strips for strap tape system, with ErgoSwing joint



Aluminium mop holder with strips for strap tape system, with Uni-Connect fitting and cone and Lock System



UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes



Kit **ERGODROP** - tank handle 500 ml with aluminium mop holder 40 cm with strips for strap tape system with ErgoSwing fitting, bordered Skill-Fur microfiber mop and dosing jug



TOP-DOWN® 20 lt - plastic bucket with plastic handle and hermetic cover

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY





All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



RAPIDO - colored microfiber mop, looped yarn, with colored backing for strap tape system



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000214AA		90	0,09	40x10	25	0,015	2,44
0000214BB		90	0,09	40x10	25	0,015	2,44
0000214CC		90	0,09	40x10	25	0,015	2,44
0000214FF		90	0,09	40x10	25	0,015	2,44

Ideal for industrial floors, natural stones, single-fired tiles and stoneware with a medium-high degree of dirt

APPLICATIONS

Mainly used for wet mopping and disinfection of medium dirty floors.
Suggested for cleaning inside floors (hotels, houses, offices, hospitals etc.).

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable microfiber "flat" mop
Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

100% solar-powered textile production
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Tests by an independent external laboratory show that the mop, used wet, can remove Coronavirus 229E from steel surfaces with a reduction capacity of 99.9%.
- Thanks to a special twisting process, this yarn keeps its shape and structure even after many washing cycles with low linting
- Thanks to its structure, the microfiber absorbs more due to its yarn capillarity and it covers a wider cleaning area
- Support for strap tape system: it is an innovative unshrinkable material which is non-linting and does not fade keeping its characteristics unaltered
- Made in Italy
- Latex-free product



PRODUCT SHEET

MATERIAL

CLEANING SIDE

Microfibre. 100%

Microfibre composition. 100% Polyester

Microfibre Denier. 0,58

SYSTEM

Strap tape in polyammide

ABSORBENCY

The dry mop absorbs up to about 2 times its own weight

LIFE CYCLE

Washable max 350 cycles if washing instructions and warnings are followed

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint



Mop holder with strips 2,5 cm for strap tape system



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



Mop holder with 2,5 cm strips for strap tape system, with Uni-Connect fitting and cone and Lock System

PRODUCT SHEET



Aluminum mop holder with strap tape system strips



Aluminum mop holder with strips for strap tape system and Lock System joint



Aluminum mop holder with strips for strap tape system, with ErgoSwing joint



Aluminum mop holder with strips for strap tape system, with Uni-Connect fitting and cone and Lock System



UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes



Kit **ERGODROP** - tank handle 500 ml with aluminium mop holder 40 cm with strips for strap tape system with ErgoSwing fitting, bordered Skill-Fur microfiber mop and dosing jug



TOP-DOWN® 20 lt - plastic bucket with plastic handle and hermetic cover

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

MICRO-ACTIVA - ultra-microfiber mop, polyester backing, with strap tape system and colour-coded tag



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
000EPN02012		45	0,045	30	25	0,011	1,32
000EPN03012		67	0,068	40	25	0,015	1,89
000EPN03022		93	0,093	60	25	0,03	2,77

Ideal for industrial floors, single-fired tiles, stoneware and woods with a medium degree of dirt

APPLICATIONS

Used with all mop holders with strap tape system for dusting, wet mopping, waxing and disinfection of smooth internal floors (hotels, houses, offices, hospitals) with medium degree of dirt

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable Ecolabel (EU) certified microfiber "flat" mop
Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECOLABEL CERTIFIED PRODUCT

Environmental label in compliance with UNI EN ISO 14024 that rewards the best eco friendly products, certifying their low environmental impact throughout their life cycle and qualifying them in the market



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper



LOW ENVIRONMENTAL IMPACT PRODUCT

The code 000EPN03012 has passed the test on the release of microplastics during washing and rinsing, carried out according to the ISO 23231 standard by an independent laboratory

PRODUCT SHEET

FEATURES

- Tests carried out by an independent external laboratory according to UNI EN 16615:2015 show that the mop, used wet, can remove the bacteria *Staphylococcus aureus* ATCC 6538, *Pseudomonas aeruginosa* ATCC15442 and *Enterococcus hirae* ATCC 10541 with a reduction capacity of 96.6%.
- Tests by an independent external laboratory show that the mop, used wet, can remove Coronavirus 229E from steel surfaces with a reduction capacity of 99.9%.
- Thanks to a particular twisting process, this twisted yarn keeps its shape even after many washing cycles with low linting
- It removes easily the dirt without friction on the floor; high absorbing capacity thanks to its composition
- Latex-free product

MATERIAL

CLEANING SIDE

Microfibre: 75%

Microfibre composition: 80% Polyester - 20% Polyamide

Microfibre Denier: 0,14

Other fibers: 25%

Fibre composition: 100% Polyester

Fabric weight: 440 gr/sqm

SYSTEM

Strap tape in polyester

ABSORBENCY

A dry mop absorbs up to twice its own weight

COVERING POWER

The mop can cover about:

25-30 m² in the 30 cm size

35-40 m² in the 40 cm size

40-45 m² in the 60 cm size

LIFE CYCLE

Can be washed max 400 cycles if washing instructions and warnings are followed

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing

PRODUCT SHEET



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint



Mop holder with strips 2,5 cm for strap tape system



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



Mop holder with 2,5 cm strips for strap tape system, with Uni-Connect fitting and cone and Lock System



Aluminium mop holder with strap tape system strips



Aluminium mop holder with strips for strap tape system and Lock System joint



Aluminum mop holder with strips for strap tape system, with ErgoSwing joint



Aluminium mop holder with strips for strap tape system, with Uni-Connect fitting and cone and Lock System



UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes



Kit **ERGODROP** - tank handle 500 ml with aluminium mop holder 40 cm with strips for strap tape system with ErgoSwing fitting, bordered Skill-Fur microfiber mop and dosing jug



TOP-DOWN® 20 lt - plastic bucket with plastic handle and hermetic cover

GENERAL PRODUCT SAFETY


The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

PULI-SCRUB - ultra-microfiber and polypropylene mop with strap tape system and colour-coded tag



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
000EPN02011		52	0,052	30	25	0,011	1,49
000EPN03011		83	0,083	40	25	0,015	2,26
000EPN03021		115	0,115	60	25	0,03	3,27

Ideal for scrubbing and wet mopping of non-slip floors and natural terracotta with medium degree of stubborn dirt

APPLICATIONS

Used with all mop holders with strap tape system for the cleaning of internal floors with medium-high degree of dirt.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable Ecolabel (EU) certified microfiber "flat" mop
Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECOLABEL CERTIFIED PRODUCT

Environmental label in compliance with UNI EN ISO 14024 that rewards the best eco friendly products, certifying their low environmental impact throughout their life cycle and qualifying them in the market



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Polypropylene fibers guarantee a better removal of the tough dirt, while microfiber holds the dirt and grants an easy and quick cleaning
- Thanks to a particular twisting process, this twisted yarn keeps its shape even after many washing cycles with low linting
- High absorbing capacity thanks to its composition
- Latex-free product

PRODUCT SHEET

MATERIAL

CLEANING SIDE

Microfibre: 70%

Microfibre composition: 71% Polyester - 29% Polyamide

Microfibre Denier: 0,14

Other fibers: 30%

Fibre composition: 100% Polypropylene

Fabric weight: 730 gr/sqm

SYSTEM

Strap tape in polyester

ABSORBENCY

A dry mop absorbs up to twice its own weight

COVERING POWER

The mop can cover about:

30-35 m² in the 30 cm size

40-45 m² in the 40 cm size

45-50 m² in the 60 cm size

LIFE CYCLE

Can be washed max 400 cycles if washing instructions and warnings are followed

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint



Mop holder with strips 2,5 cm for strap tape system

PRODUCT SHEET



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



Mop holder with 2,5 cm strips for strap tape system, with Uni-Connect fitting and cone and Lock System



Aluminium mop holder with strap tape system strips



Aluminum mop holder with strips for strap tape system and Lock System joint



Aluminum mop holder with strips for strap tape system, with ErgoSwing joint



Aluminium mop holder with strips for strap tape system, with Uni-Connect fitting and cone and Lock System



UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes



Kit **ERGODROP** - tank handle 500 ml with aluminium mop holder 40 cm with strips for strap tape system with ErgoSwing fitting, bordered Skill-Fur microfiber mop and dosing jug



TOP-DOWN® 20 lt - plastic bucket with plastic handle and hermetic cover

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Graduated plastic jar



REF.	NOTES	NET WEIGHT (kg)	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
P191000T	3 L	0,198	12	0,073	2,96
P192000T	0,5 L	0,048	80	0,079	3,84

APPLICATIONS

Can be used to fill up the Drop and ErgoDrop tank handle and where necessary to accurately dose detergents, solutions or various liquids.

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of material that is fully recyclable at end-of-life
 Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- In transparent polypropylene for food use
- Autoclavable, resistant to temperatures from -10 to + 120° C
- Graduation printed in relief
- Very sturdy with drip spout

MATERIAL

Polypropylene

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005




DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Plastic bucket 20 L with plastic handle



REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000SE1222A			1,116	24x55x27	10	0,169	12,6
0000SE1222B			1,116	24x55x27	10	0,169	12,6
0000SE1222U			1,116	24x55x27	10	0,169	12,6

APPLICATIONS

Multipurpose bucket which can be used as a single bucket or as an accessory in different trolleys.

ECO BOX



PSV PRODUCT

PSV - Second Life Plastic - certified product: the first Italian and European brand of environmental product certifications that guarantees and enables to easily identify the products made with recycled plastic



ECO-FRIENDLY PRODUCT

Product made of material that is fully recyclable at end-of-life

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Made of high quality polypropylene copolymer: light, shock-proof, heavy duty and low-temperature resistant
- Ergonomic plastic handle
- Bottom protection rim to make the emptying of the bucket easier
- Possibility to have the hermetic cover
- Graduated from 0 to 20 L

MATERIAL

Polypropylene copolymer



PRODUCT SHEET

RELATED PRODUCTS



Hermetic plastic cover for 10 and 20 L Top-Down® bucket




Plastic sieve fitting bucket trolley for wax application / window cleaning



Plastic divider for Top-Down® bucket 20 L



Pierced plastic sieve for Top-Down® bucket



Stainless steel sieve for Top-Down® bucket 20 L



Plastic sieve Top-Down® 10 and 20 lt



Wheel ø 50 mm



Wheel ø 35 mm

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

TOP-CLEAN - plastic mop holder with grip and strips
2,5 cm for strap tape system



REF.	NOTES	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
5233U		0,206	30	10	0,016	2,28
5234U		0,256	40	10	0,019	2,9

Mop holder used with Brilliant system for cleaning interior glass, mirrors and all smooth vertical surfaces and with Top Clean system for cleaning tables in cafeterias, bars, kitchens, restaurants...

APPLICATIONS

This frame is used with the specific Top Clean system for the cleaning of tables in refectories, cafeterias, bars, restaurants, kitchens, schools (advised for the blackboards cleaning) etc. and with Brilliant system for the cleaning of vertical smooth surfaces like interior windows, mirrors, stainless steel surfaces, laquered surfaces, painted doors, etc...

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life
Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- It is light and handy with an ergonomic hand grip and it has been studied to guarantee the highest ergonomics during the cleaning operations
- Sharpened borders in order to make easier the removing of possible dirt from the surfaces
- Easy replaceable ABS strips for strap tape system 2,5 cm large that guarantee the utmost adherence of the mop holder to the mop for a perfect cleaning of the surfaces

MATERIAL

Polyamide

RELATED PRODUCTS



MICRO-ACTIVA - ultra-microfiber mop, polyester backing, with strap tape system and colour-coded tag



PULI-SCRUB - ultra-microfiber and polypropylene mop with strap tape system and colour-coded tag

PRODUCT SHEET



RAPIDO SUPER - high-performing white microfiber mop, looped yarn, with colored backing for strap tape system



RAPIDO - colored microfiber mop, looped yarn, with colored backing for strap tape system



RAPIDO SUPER EXTRA - high-performing white microfiber mop, looped yarn, with colored backing for strap tape system



Ultra-microfiber mop head with backing for strap tape system

PRODUCT VERSIONS



Mop holder with strips for strap tape system with Lock System

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET

Ultra-microfiber mop head with backing for strap tape system



REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000PN02016		36	0,036	30x11	25	0,007	0,99
0000PN03016		52	0,052	40x11	25	0,011	1,49

Ideal for stainless steel surfaces, mirrors and windows

APPLICATIONS

Used for the cleaning of inside glasses, mirrors, stainless steel surfaces and for all smooth vertical surfaces.

ECO BOX



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable microfiber "flat" mop

Microfiber denier dTtex ≤ 1 for an efficient water and chemical consumption



ECO-FRIENDLY PRODUCT

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- High performance thanks to the excellent cleaning action of the ultra-microfiber cloth
- Together with an alcohol-based chemical product, it cleans brightly with one wipe and without drying operations
- Bigger cleaning surface, if compared to the traditional systems
- Latex-free product

PRODUCT SHEET

MATERIAL

CLEANING SIDE

Microfibre: 72%

Microfibre composition: 80% Polyester - 20% Polyamide

Microfibre Denier: 0,13

Other fibers: 28%

Fibre composition: 100% Polyamide

Fabric weight: 190 gr/mq

SYSTEM

Strap tape in nylon

CARE AND MAINTENANCE

WARNINGS

Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing

We recommend the use of normal detergent for textiles, no fabric softener

Always a pre-wash cycle in cold water without detergent to remove any residue of chemical solution

We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS



SUGGESTED washing temperature: 60° C



MAX washing temperature: 95° C



Bleaching possible - Do not use chlorine or bleach



Mechanical drying at low temperature 50°C



No ironing



Do not dry clean

Do not use softener

Use alkaline detergents with Ph < 11

RELATED PRODUCTS



TOP-CLEAN - plastic mop holder with grip and strips 2,5 cm for strap tape system



Mop holder with strips for strap tape system with Lock System



Mop holder with strips for strap tape system with Uni-Connect joint and end cone and Lock System

PRODUCT SHEET


GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005








DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

PRODUCT SHEET



2-piece anodized aluminium telescopic handle with ergonomic grip and coloured cap

REF.	NOTES		NET WEIGHT (kg)	SIZE (cm) ↓ ↓ ↓	PCK	VOLUME (m³)	GROSS WEIGHT (kg)
0000AM3070A	blue, with blue cap		0,4	184	10	0,02	4,38
0000AM3070UU	grey, with grey cap		0,4	184	10	0,02	4,38
0000AM3070UA	grey, with blue cap		0,4	184	10	0,02	4,38
0000AM3070UB	grey, with red cap		0,4	184	10	0,02	4,38
0000AM3070UC	grey, with yellow cap		0,4	184	10	0,02	4,38
0000AM3070UF	grey, with green cap		0,4	184	10	0,02	4,38
0000AM3090A	blue, with blue cap		0,263	93	10	0,012	2,98

Art. 0000AM3070 extendable from 102 to 184 cm - Art. 0000AM3090A extendable from 56 to 93 cm - External tube ø 26 mm, internal tube ø 23 mm

APPLICATIONS

Two functions: it is used both as a traditional handle and as a telescopic pole

ECO BOX



ECO-FRIENDLY PRODUCT

Product made of separable materials and, consequently, recyclable at the end of its life

Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

FEATURES

- Ergonomic grip with a soft shape and a good touch feeling material
- Adjustable length according to the different operating requirements. It is available in the compact version from 56 till 93 cm, ideal for the cleaning in small areas and with reduced operating space.
- If used with end cone with screw (handle art. 0000AM3170A), it allows the application of window cleaning tools

MATERIAL

Polypropylene copolymer, acetate resin, nylon, thermoplastic rubber and aluminium

PRODUCT SHEET

RELATED PRODUCTS



End cone with Italian thread for telescopic handles and poles with Uni-Connect system



End cone with Italian thread for telescopic handles and 3-hole aluminum handles Ø 23 mm



UNI-MOVE - universal plastic handle holder




FLIP - handle holder with rubber roll



Plastic handle holder

PRODUCT VERSIONS



Anodized aluminium telescopic handle in 2 pcs with ergonomic grip, blue cap and end cone with Italian thread

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Россия +7(495)268-04-70

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Киргизия +996(312)-96-26-47

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93